L	Hits	Search Text	DB	Time stamp
Number 1	1	4752890.pn.	USPAT;	2003/11/18
2	0	4752890.pn. and percent	US-PGPUB USPAT;	01:39 2003/11/18
2			US-PGPUB	01:51
3	5	percent\$3 with (actual adj2 match\$3)	USPAT; US-PGPUB	2003/11/18
6	5	percent\$3 with (actual adj2 match\$3)	USPAT; US-PGPUB	2003/11/18
15	5	percent\$3 with (actual adj2 match\$3)	USPAT; US-PGPUB	2003/11/18
-	66	"search rules"	USPAT; US-PGPUB	2003/06/16
-	34926	"search rules" rank\$3	USPAT; US-PGPUB	2002/11/26
-	13	"search rules" and rank\$3	USPAT; US-PGPUB	2003/02/04
-	4	("search rules" and rank\$3) and (rule\$1 with analyz\$3)	USPAT; US-PGPUB	2002/11/26
-	51		USPAT; US-PGPUB	2002/11/26
-	7	"exact-match" and "user input"	USPAT; US-PGPUB	2002/11/26 19:52
_	13757	search\$3 near4 (database or "data base")	USPAT; US-PGPUB	2002/11/26
_	F 575	(search\$3 near4 (database or "database")) and (identify\$3 near4 record)	USPAT; US-PGPUB	2002/11/26
-	215		USPAT;	2002/11/26
		base")) and (identify\$3 near4 record)) and rule\$1	US-PGPUB	19:54
_	112	<pre>(((search\$3 near4 (database or "data base")) and (identify\$3 near4 record)) and rule\$1) and (retriev\$3 near4 record\$1)</pre>	USPAT; US-PGPUB	2002/11/26
_	79	1 ' '	USPAT; US-PGPUB	2002/11/26 19:57
-	151		USPAT; US-PGPUB	2002/11/26 19:58
-	0		USPAT; US-PGPUB	2002/11/26 19:58
_	8	<pre>(((((search\$3 near4 (database or "data base")) and (identify\$3 near4 record)) and rule\$1) and (retriev\$3 near4 record\$1)) and user near4 (select\$3 or feedback or input)) and (rule\$1 with order)</pre>	USPAT; US-PGPUB	2002/11/26 19:58
_	1	5832477.pn.	USPAT; US-PGPUB	2003/02/04 19:36
	1		USPAT; US-PGPUB	2003/02/05
_	2124	(search or retriev\$3) with rules	USPAT; US-PGPUB	2003/02/04
_	2078	((search or retriev\$3) with rules) and (index\$3 or order\$3 or sequence\$1 or prioritiz\$3 or priorit\$3 or rank\$3 or	USPAT; US-PGPUB	2003/02/04
		sequential\$2 or sort\$3)		

668 (((search or retriev\$3) with rules) and index\$3 or order\$3 or sequenc\$1 or prioritiz\$3 or prioritiz\$3 or prioritiz\$3 or prioritiz\$3 or prioritiz\$3 or sequenc\$1 or prioritiz\$3 or prioritiz\$3 or rank\$3 or sequential\$2 or sort\$3) and statistic\$2 and (((adjust or re adj) arrang\$3) with (lorder\$3 or sequenc\$1) or prioritiz\$3 or pri					
prioritiz33 or priorit33 or rank33 or sequentials2 or sort33) and statistic22 ((((search or retriev33) with rules) and (index3 or order33 or sequence31 or sequentials2 or sort33)) and statistic32) and (((adjust or re adj) arrang53) with (search or retriev33) with rules) and (index33 or order33 or sequence31 or prioritiz3 or prioritiz3 or rank33 or sequentials2 or sort33)) and statistic32 and ((adjust or re adj) arrang53) with (sequence31 or prioritiz3 or rank33 or sequentials2 or sort33)) and statistic32 and ((adjust or re adj) arrang53) with (order33 or sequence31 or prioritiz3 or rank3 or sequentials2 or sort33)) and statistic32 and ((adjust or re adj) arrang53) with (sequence31 or prioritiz3 or rank3 or sequentials2 or sort33)) and statistic32 and ((adjust or re adj) arrang53) with (sequence31 or prioritiz3 or rank3 or sequentials2 or sort33)) and statistic32 and ((adjust or re adj) arrang53) with (sequence3) or sequentials2 or sort33) and statistic32 and ((adjust or re adj) arrang53) with (sequence3) and (sequence3) usper sequentials3 or sequence3) usper sequentials3 or order33 with (sequence or order)) 1 \$204939,pn. and (execut33 with (sequence or order)) 1 \$204939,pn. and (execut33 with (sequence or order)) 1 \$204939,pn. and (execut33 with (sequence or order)) 2 \$204939,pn. and (execut33 with (chang33 with sequence)) 2 \$205	-	608	(((search or retriev\$3) with rules) and	USPAT;	2003/02/04
Sequentials2 or sort\$3) and statistic\$2				US-PGPUB	19:42
3 (([(search or retriev\$3]) with rules) and (lindex\$3 or order\$3 or sequence\$1 or prioritiz\$3 or sequence\$1 or prioritiz\$3 or sequence\$1 or prioritiz\$3 or rank\$3 or sequential\$2 or sort\$3]) with rules) and ((dajust or re artiev\$3]) with rules) and ((dajust or re retriev\$3]) with rules) and ((dajust or re retriev\$3]) with rules) and ((dajust or re retriev\$3]) with rules) and ((adjust or re artiev\$1] with ((order\$3]) or sequence\$1 or prioriti\$3 or rank\$3 or sequential\$2 or sort\$3]) and statistic\$2] and ((adjust or re artiev\$1] artiang\$3] with ((order\$3]) or prioriti\$3 or rank\$3 or sequence\$1 or prioriti\$3 or rank\$3 or sequential\$2 or sort\$3]) and statistic\$2] and ((adjust or re artiev\$3]) with rules) and ((adjust or re artiev\$3]) with (sequence\$1] or prioriti\$3 or rank\$3 or sequential\$2 or sort\$3]) and statistic\$2] and ((adjust or re artiev\$3]) with (sequence\$1] or prioriti\$3 or rank\$3 or sequential\$2 or sort\$3]) and ((adjust or re artiev\$3] or sequence\$1] or prioriti\$3 or rank\$3 or sequence\$1] or prioriti\$3 or rank\$3 or sequential\$2 or sort\$3]) and ((adjust or re artiev\$3] or sequence\$1] uspart; (uspart) (uspart				·	
(index33 or order33 or sequence31 or prioritir33 or prioritir3 or prioritir33 or prioritir3 or prioritir3 or prioritir33 or prioritir3 or prioritir			sequential\$2 or sort\$3)) and statistic\$2		
prioritiz3 or priorit3 or rank\$3 or sequential\$2 or sort\$3) and statistic\$2 and (((adjust or re adj] arrang\$3) with ((order\$3 or sequence\$1 or priorit3 or rank\$3)) with (rule\$1 or query or query or query or priorit3 or rank\$3) with (rule\$1 or query or query or priorit3 or rank\$3 or sequence\$1 or priorit3 or rank\$3 or sequence\$1 or priorit3 or rank\$3 or sequence\$1 or priorit3 or rank\$3] with (order\$3 or sequence\$1 or priorit\$3 or rank\$3] with (order\$3 or sequence\$1 or priorit\$3 or rank\$3) ((((search or retriev\$3) with rules) and (index\$3 or order\$3 or sequence\$1 or priorit\$3 or priorit\$3 or rank\$3) with ((sequence\$1 or priorit\$3 or rank\$3) with ((sepuence\$1 or order\$1) ((sepuence\$1 or priorit\$3 or rank\$3) with ((sepuence\$1 or order\$1) ((sepuence\$1 or priorit\$3 or rank\$3) with ((sepuence\$1 or order\$1) ((sepuence\$1 or priorit\$3 or rank\$3) with ((sepuence\$1 or order\$1) ((sepuence\$1 or priorit\$3 or rank\$3) with ((sepuence\$1 or order\$1) ((sepuence\$1 or priorit\$3 or rank\$3) with ((sepuence\$1 or order\$1) ((sepuence\$1 or order\$1) (uspar; (uspar; uspar; uspa	-	3		USPAT;	
				US-PGPUB	19:51
and (((adjust or re adj) arrang3) with (order\$3 or sequences) or prioritt3 or rank\$3)) with (rule\$1 or query or query or queries)) ((((search or retriev\$3) with rules) and (adjust or re adj) arrang\$3) with (order\$3 or sequences1 or prioritt3) or rank\$3) (((search or retriev\$3) with rules) and ((idjust or re adj) arrang\$3) with (order\$3 or sequences1 or prioritt3 or rank\$3)) (((search or retriev\$3) with rules) and (index\$3 or order\$3 or sequence\$1 or prioritt3 or rank\$3)) (((search or retriev\$3) with rules) and (index\$3 or order\$3 or sequence\$1 or prioritt3 or rank\$3) or prioritt3 or rank\$3) or prioritt3 or rank\$3) or prioritt3 or rank\$3) or gequence\$1 or or order\$1 or order\$1 or order\$1 or general gener			prioritiz\$3 or priorit\$3 or rank\$3 or		
(corder\$3 or sequence\$1 or priorit\$3 or rank\$31) with (rule\$1 or query or queries)			sequential\$2 or sort\$3)) and statistic\$2)		
			and (((adjust or re adj1 arrang\$3) with		
Queries)			(order\$3 or sequence\$1 or priorit\$3 or		
200 (((((search or retrievs3) with rules) and (index33 or order\$3 or sequence\$1 or priorittiz33 or priorit\$3 or rank\$3 or sequential\$2 or sort\$3) and statistic\$2) and ((adjust or re adj1 arranq\$3) with ((order\$3 or sequence\$1 or priorittiz3 or priorit\$3 or rank\$3 or sequential\$2 or sort\$3) with rules) and (index\$3 or order\$3 or sequence\$1 or prioritiz\$3 or priorit\$3 or rank\$3 or sequential\$2 or sort\$3) and statistic\$2 and ((adjust or re adj1 arranq\$3) with ((sequence\$1 or priorit\$23 or rank\$3))		1	rank\$3)) with (rule\$1 or query or	:	
(index33 or order53 or sequences1 or prioritiz33 or painotiz35 or rank33) or sequentials2 or sort53)) and statistic52 and (indigws3 or order53 or sequences1 or prioritiz33 or rank33) or sequencials2 or sort53)) and statistic52) and (index33 or order53 or sequences1 or prioritiz53 or prioritis3 or rank33 or sequentials2 or sort53)) and statistic52) and (index33 or order53 or sequences1 or prioritiz53 or prioritis3 or rank33 or sequentials2 or sort53)) and statistic52) and (indigust or re adj1 arrang53) with (sequences1 or prioritis3 or rank33))			queries))		
prioritis or priorits or ranks or sequentials or sequentials or sorts) and statistics	-	20	((((search or retriev\$3) with rules) and	USPAT;	2003/02/04
and ((adjust or re adj) arrang43) with ((refree) or priority3 or rank53)) - 9 ((((search or retriev\$3) with rules) and (index\$3 or order\$3 or sequence\$1 or priority3 or rank\$3) or sequential\$2 or sort\$3) and statistic\$2 and ((adjust or re adj1 arrang\$3) with (sequences) or priority3 or rank\$3) with (sequences) or priority3 or rank\$3) with (sequences) or priority3 or rank\$3) with (sequences) or order) - 1 5204939.pn. and (execut\$3 with (sequence or order)) - 1 5204939.pn. and (execut\$3 with (sequence or order)) - 1 5204939.pn. and (execut\$3 with (chang\$3) with sequence)) - 1 15800 USPAT; USPAT; USPAC; USPAT; USPCUB, USPAT; US			(index\$3 or order\$3 or sequence\$1 or	US-PGPUB	19:53
and ((adjust or re adj1 arrang\$3) with					
				}	
rank\$3] 9 (((((search or retriev\$3) with rules) and (index\$3 or order\$3 or sequence\$1 or prioritiz\$3 or prioritiz\$3 or rank\$3 or sequence\$1 or prioritiz\$3 or rank\$3 or sequence\$1 or prioritiz\$3 or rank\$3 or sequence\$1 or prioritiz\$3 or rank\$3)					
			(order\$3 or sequence\$1 or priorit\$3 or		
(index/3 or order3) or sequence\$1 or prioritiz\$3 or rank\$3 or sequential\$2 or sort\$3) and statistic\$2) and (adjust or re adj1 arrang\$3) with (sequence\$1 or prioritix\$3 or rank\$3))					
prioritiz\$3 or priorit\$3 or rank\$3 or sequential\$2 or sort\$3) and statistic\$2 and ((adjust or re adj1 arrang\$3) with (sequence\$1 or priorit\$3 or rank\$3))	-	9		USPAT;	2003/02/04
and ((adjust or re adj) arrang\$3) with (sequence\$1 or priorit\$3 or rank\$3)) Sequential adj1 subset adj1 catalog USPAT; (US-PGPUB; EPO USPAT; US-PGPUB PS (PPO USPAT; US-PGPUB USPAT; US-PGPUB				US-PGPUB	19:53
and ((adjust or re adjl arrang\$3) with (sequence) or priorit\$3 or rank\$3), sequential adjl subset adjl catalog 1 5204939.pn. 1 5204939.pn. and (execut\$3 with (sequence or order)) 1 5204939.pn. and (execut\$3 with (chang\$3 USPAT; USPAT; USPAT) 2 1 5204939.pn. and (execut\$3 with (chang\$3 USPAT; USPAT) 2 1 5204939.pn. and (execut\$3 with (chang\$3 USPAT; USPAT) 2 1 5204939.pn. and (execut\$3 with (chang\$3 USPAT; USPAT) 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2					1
Sequences1 or priorits3 or rank\$3) Sequential adj1 subset adj1 catalog USPAT; US-PGPUB; END USPAT; US-PGPUB; USPAT; US-PGPUB USPAT; USPAT]				
3					
1 5204939.pn. US-PGPUB; EPO USPAT; US-PGPUB 19:10 USPAT; US-PGPUB USPAT; U					
EPO	-	4	sequential adj1 subset adj1 catalog	USPAT;	
1 5204939.pn. USPAT; USP			·	US-PGPUB;	20:36
1			,	EPO	
1 5204939.pn. and (execut\$3 with (sequence or order) 1 5204939.pn. and (execut\$3 with (chang\$3 US-PGPUB 19:16 1 5204939.pn. and (execut\$3 with (chang\$3 US-PAT; 2003/02/05 US-PGPUB 19:22 1580 rules with search\$3 US-PAT; US-PGPUB 19:22 289 (rules with search\$3) and ((retriev\$3 or US-PAT; US-PGPUB 19:22 203/02/05 US-PGPUB 19:22 203/02/05 US-PGPUB 19:22 203/02/05 US-PGPUB 19:24 2003/02/05 US-PGPUB 19:25 2003/02/05 US-PGPUB 19:25 2003/02/05 US-PGPUB 19:26 2003/02/05 US-PGPUB 19:51 2003/02/05 US-PGPUB 19:51 2003/02/05 US-PGPUB 19:51 2003/02/05 US-PGPUB 19:51 2003/02/05 US-PGPUB 19:52 2003	-	1	5204939.pn.	USPAT;	2003/02/05
or order) 1 5204939.pm. and (execut\$3 with (chang\$3 ush sequence)) 1 5204939.pm. and (execut\$3 with (chang\$3 ush sequence)) 1 1580 rules with search\$3 289 (rules with search\$3) and ((retriev\$3 or identif\$4) uspAT; 2003/02/05 ush rules! with ((retriev\$3 or identif\$4) uspAT; 2003/02/05 ush rules! with ((retriev\$3 or identif\$4) uspAT; 2003/02/05 ush rules! with ((retriev\$3 or identif\$4) uspAT; 2003/02/05 ush rules!) 46 (rules! with ((retriev\$3 or identif\$4) uspAT; 2003/02/05 ush rules!) and (search\$3 with rules!) ush record\$1) and (search\$3 with rules!) ush rules!) and (rank\$3 with rules) 40 ((rules! with ((retriev\$3 or identif\$4) ush record\$1)) and (search\$3 with rules!) ush rules!)) and (rank\$3 with rules) 40 ((rules! with ((retriev\$3 or identif\$4) uspAT; 2003/02/05 ush rules!)) and (rank\$3 with rules) 41 (rules! with ((retriev\$3 or identif\$4) uspAT; 2003/02/05 ush record\$1)) and (rank\$3 with rules) 42 (rules! with ((retriev\$3 or identif\$4) uspAT; 2003/02/05 usp			-	US-PGPUB	19:10
1 5204939.pn. and (execut\$3 with (chang\$3 with sequence)) rules with sequence) USPAT; USPAT; 2003/02/05 19:22 USPAT; USPAT; 2003/02/05 19:22 USPAT;	-	1	5204939.pn. and (execut\$3 with (sequence	USPAT;	2003/02/05
Second S			or order))	US-PGPUB	19:16
With sequence)	-	1	5204939.pn. and (execut\$3 with (chang\$3	USPAT;	2003/02/05
1580				US-PGPUB	19:22
- 289 (rules with search\$3) and ((retriev\$3 or identif\$4) with record\$1) - 206 rules! with ((retriev\$3 or identif\$4) USPAT; USPAT; 2003/02/05 USPAT;	-	1580		USPAT;	2003/02/05
identifs4) with record\$1				US-PGPUB	1
- 206 rules! with ((retriev\$3 or identif\$4) with record\$1)	-	289	(rules with search\$3) and ((retriev\$3 or	USPAT;	2003/02/05
With record\$1)			identif\$4) with record\$1)	US-PGPUB	19:24
- 46 (rules! with ((retriev\$3 or identif\$4) with record\$1)) and (search\$3 with rules!) - 14 ((rules! with ((retriev\$3 or identif\$4) with record\$1)) and (search\$3 with rules!)) and rank\$3 - 0 ((rules! with ((retriev\$3 or identif\$4) with record\$1)) and (search\$3 with rules!)) and (rank\$3 with rules) - 0 ((rules! with ((retriev\$3 or identif\$4) with record\$1)) and (rank\$3 with rules) - 1589991.pn. and (rank\$3 with rules) - 1589991.pn. and (execut\$3 with (rank\$3 uspar; 2003/02/05	_	206	rules! with ((retriev\$3 or identif\$4)	USPAT;	2003/02/05
with record\$1) and (search\$3 with rules!) 19:25 19:25				US-PGPUB	
rules!) ((rules! with ((retriev\$3 or identif\$4) with record\$1)) and (search\$3 with uSPAT; uS-PGPUB 19:26 ((rules! with ((retriev\$3 or identif\$4) with record\$1)) and (search\$3 with uSPAT; uS-PGPUB 19:26 ((rules! with ((retriev\$3 or identif\$4) uSPAT; usp	-	46		USPAT;	
- 14 ((rules! with ((retriev\$3 or identif\$4) with record\$1)) and (search\$3 with rules!) 19:26				US-PGPUB	19:25
with record\$1) and (search\$3 with rules!) and rank\$3 ((rules! with ((retriev\$3 or identif\$4) uspAT; 2003/02/05 uspAT;			,		
rules!)) and rank\$3 ((rules! with ((retriev\$3 or identif\$4) with record\$1)) and (search\$3 with rules!) (rules! with ((retriev\$3 or identif\$4) uspat; 2003/02/05 usith record\$1)) and (rank\$3 with rules) (rules! with ((retriev\$3 or identif\$4) uspat; 2003/02/05 usith record\$1)) and (rank\$3 with rules) 5899991.pn. 0 5899991.pn. and (execut\$3 with (rank\$3 uspat; 2003/02/05 with rule\$1)) and search\$3 and record\$1 uspat; 2003/02/05 uspat; 2003/02/05 with rule\$1)) and search\$3 and record\$1 uspat; 2003/02/05 uspat; 2003/02/05 with rule\$1)) and search\$3 and record\$1 uspat; 2003/02/05 uspat; 2003/02/05 with rule\$1)) and search\$3 and record\$1 uspat; 2003/02/05 uspat; 2003/02/05 with rule\$1) and search\$3 and record\$1 uspat; 2003/02/05 uspat; 2003/02/05 uspat; 2003/02/05 uspat; 2003/02/05 uspat; 2003/02/05 uspat; 2003/02/05 uspat; 2003/02/06 with rule\$1) and (performance with	-	14			1
- 0 ((rules! with ((retriev\$3 or identif\$4) with record\$1)) and (search\$3 with rules!) and (rank\$3 with rules) - 6 (rules! with ((retriev\$3 or identif\$4) USPAT; 2003/02/05 with record\$1)) and (rank\$3 with rules) USPAT; 2003/02/05 US-PGPUB 19:51 - 1 5899991.pn. and (execut\$3 with (rank\$3 USPAT; 2003/02/05 US-PGPUB 19:51 - 0 5899991.pn. and (execut\$3 with (rank\$3 USPAT; 2003/02/05 US-PGPUB 19:52 - 1 (rank\$3 with rules!) with (based near3 statistic\$2) ((rank\$3 with rules!) with (based near3 statistic\$2) ((rank\$3 with rules!) with (based near3 statistic\$2)) and ((alter\$3 or chang\$3 or edit\$4 or maintain\$3 or modif\$6 or updat\$3 or maintenance\$1) with rank\$3) ((collect or gather) with (statistic\$2 WS-PGPUB 20:37 - 4 ((collect or gather) with (statistic\$2 USPAT; 2003/02/05 with rule\$1)) and search\$3 uspat; 2003/02/05 US-PGPUB 20:36 - 4 ((collect or gather) with (statistic\$2 USPAT; 2003/02/05 with rule\$1)) and search\$3 and record\$1 US-PGPUB 20:36 - 4 ((collect or gather) with (statistic\$2 USPAT; 2003/02/05 with rule\$1)) and search\$3) and record\$1 US-PGPUB 20:36 - 4 ((collect or gather) with (statistic\$2 USPAT; 2003/02/05 WITH rule\$1)) and (performance with US-PGPUB 21:25				US-PGPUB	19:26
with record\$1)) and (search\$3 with rules!)) and (rank\$3 with rules)			rules!)) and rank\$3		
rules!)) and (rank\$3 with rules) (rules! with ((retriev\$3 or identif\$4)	-	0			
- 6 (rules! with ((retriev\$3 or identif\$4) with record\$1)) and (rank\$3 with rules) - 1 5899991.pn.		1		US-PGPUB	19:26
## with record\$1)) and (rank\$3 with rules)					
- 1 5899991.pn.	-	6		· ·	
- 0 5899991.pn. and (execut\$3 with (rank\$3				1	
- 0 5899991.pn. and (execut\$3 with (rank\$3 near2 order)) - 1 (rank\$3 with rules!) with (based near3 statistic\$2) - 0 ((rank\$3 with rules!) with (based near3 statistic\$2)) and ((alter\$3 or chang\$3 or edit\$4 or maintain\$3 or modif\$6 or updat\$3 or maintenance\$1) with rank\$3) - 1 (collect or gather) with (statistic\$2 with rule\$1) - 2 (collect or gather) with (statistic\$2 with rule\$1) - 3 ((collect or gather) with (statistic\$2 with rule\$1)) and search\$3 and record\$1 US-PGPUB - 4 ((collect or gather) with (statistic\$2 with rule\$1)) and search\$3) and record\$1 US-PGPUB - 4 ((collect or gather) with (statistic\$2 with rule\$1)) and search\$3) and record\$1 US-PGPUB - 4 ((collect or gather) with (statistic\$2 with rule\$1)) and (performance with US-PGPUB - 5 USPAT; 2003/02/05 USPAT; 2003/02/05 USPAT; 2003/02/05 USPAT; 2003/02/05 USPAT; 2003/02/05 USPAT; 2003/02/06 USPAT; 2003/02/	-	1	5899991.pn.	1	
near2 order))				1	
1 (rank\$3 with rules!) with (based near3 statistic\$2) 0 ((rank\$3 with rules!) with (based near3 statistic\$2)) and ((alter\$3 or chang\$3 or edit\$4 or maintain\$3 or modif\$6 or updat\$3 or maintenance\$1) with rank\$3) 7 (collect or gather) with (statistic\$2 with rule\$1) 4 ((collect or gather) with (statistic\$2 with rule\$1)) and search\$3 4 ((collect or gather) with (statistic\$2 with rule\$1)) and search\$3) and record\$1 4 ((collect or gather) with (statistic\$2 with rule\$1)) and search\$3) and record\$1 4 ((collect or gather) with (statistic\$2 with rule\$1)) and search\$3) and record\$1 4 ((collect or gather) with (statistic\$2 with rule\$1)) and (performance with us-pgpub 20:36 4 ((collect or gather) with (statistic\$2 with rule\$1)) and (performance with us-pgpub 21:25	-	0		l '	
statistic\$2) ((rank\$3 with rules!) with (based near3 statistic\$2)) and ((alter\$3 or chang\$3 or edit\$4 or maintain\$3 or modif\$6 or updat\$3 or maintenance\$1) with rank\$3) ((collect or gather) with (statistic\$2 with rule\$1) ((collect or gather) with (statistic\$2 with rule\$1)) and search\$3 (((collect or gather) with (statistic\$2 with rule\$1)) and search\$3 with rule\$1)) and search\$3 us-pgpub 20:36 (((collect or gather) with (statistic\$2 with rule\$1)) and search\$3 and record\$1 us-pgpub 20:36 ((collect or gather) with (statistic\$2 with rule\$1)) and search\$3 and record\$1 us-pgpub 20:36 ((collect or gather) with (statistic\$2 with rule\$1)) and (performance with us-pgpub 21:25				1	1
- 0 ((rank\$3 with rules!) with (based near3 statistic\$2)) and ((alter\$3 or chang\$3 or edit\$4 or maintain\$3 or modif\$6 or updat\$3 or maintenance\$1) with rank\$3) - 7 (collect or gather) with (statistic\$2 with rule\$1) - 4 ((collect or gather) with (statistic\$2 with rule\$1)) and search\$3 - 4 ((collect or gather) with (statistic\$2 with rule\$1)) and search\$3) and record\$1 - 4 ((collect or gather) with (statistic\$2 with rule\$1)) and search\$3) and record\$1 - 4 ((collect or gather) with (statistic\$2 with rule\$1)) and (performance with - 5 With rule\$1)) and (performance with - 6 With rule\$1)) and (performance with - 7 With rule\$1)) and (performance with - 8 With rule\$1)) and (performance with - 9 With rule\$1)) and (performance with - 10 Wish rule\$1)) and (performance with - 11 Wish rule\$1)	-	1		1	
statistic\$2)) and ((alter\$3 or chang\$3 or edit\$4 or maintain\$3 or modif\$6 or updat\$3 or maintenance\$1) with rank\$3) (collect or gather) with (statistic\$2 USPAT; 2003/02/05 With rule\$1) ((collect or gather) with (statistic\$2 USPAT; 2003/02/05 With rule\$1)) and search\$3 US-PGPUB 20:36 (((collect or gather) with (statistic\$2 USPAT; 2003/02/05 US-PGPUB 20:36 (((collect or gather) with (statistic\$2 USPAT; 2003/02/05 USPAT; 2003/02/05 US-PGPUB 20:36 ((collect or gather) with (statistic\$2 USPAT; 2003/02/06 US-PGPUB 20:36 ((collect or gather) with (statistic\$2 USPAT; 2003/02/06 US-PGPUB 20:36 ((collect or gather) with (statistic\$2 USPAT; 2003/02/06 US-PGPUB 21:25					
edit\$4 or maintain\$3 or modif\$6 or updat\$3 or maintenance\$1) with rank\$3) 7 (collect or gather) with (statistic\$2 USPAT; 2003/02/05 With rule\$1) 4 ((collect or gather) with (statistic\$2 USPAT; 2003/02/05 With rule\$1)) and search\$3 US-PGPUB 20:36 4 ((collect or gather) with (statistic\$2 USPAT; 2003/02/05 With rule\$1)) and search\$3) and record\$1 US-PGPUB 20:36 4 ((collect or gather) with (statistic\$2 USPAT; 2003/02/05 USPAT; 2003/02/05 USPAT; 2003/02/06 US	-	0			
updat\$3 or maintenance\$1) with rank\$3) (collect or gather) with (statistic\$2 USPAT; 2003/02/05 With rule\$1) ((collect or gather) with (statistic\$2 USPAT; 2003/02/05 With rule\$1)) and search\$3 US-PGPUB 20:36 (((collect or gather) with (statistic\$2 USPAT; 2003/02/05 With rule\$1)) and search\$3) and record\$1 US-PGPUB 20:36 ((collect or gather) with (statistic\$2 USPAT; 2003/02/05 US-PGPUB 20:36	-			US-PGPUB	20:28
- 7 (collect or gather) with (statistic\$2 USPAT; US					
<pre>with rule\$1) ((collect or gather) with (statistic\$2</pre>					
- 4 ((collect or gather) with (statistic\$2 USPAT; 2003/02/05 With rule\$1)) and search\$3 US-PGPUB 20:36 - 4 (((collect or gather) with (statistic\$2 USPAT; 2003/02/05 USPAT; 2003/02/05 USPAT; US-PGPUB 20:36 - 4 ((collect or gather) with (statistic\$2 USPAT; 2003/02/06 USPAT; 2003/02/05 USPAT; 2003/02/05 USPAT; 2003/02/05 USPAT; 2003/02/0	-	7			1
with rule\$1)) and search\$3 (((collect or gather) with (statistic\$2 USPAT; 2003/02/05 With rule\$1)) and search\$3) and record\$1 ((collect or gather) with (statistic\$2 USPAT; 2003/02/06 USPAT; 2003/02/05 USPAT;	1	1		1	
- 4 (((collect or gather) with (statistic\$2 USPAT; 2003/02/05 with rule\$1)) and search\$3) and record\$1 US-PGPUB 20:36 2003/02/06 USPAT; with rule\$1)) and (performance with US-PGPUB 21:25	_	4			i .
with rule\$1)) and search\$3) and record\$1 US-PGPUB 20:36 ((collect or gather) with (statistic\$2 USPAT; 2003/02/06 with rule\$1)) and (performance with US-PGPUB 21:25	1			1	1
- 4 ((collect or gather) with (statistic\$2 USPAT; 2003/02/06 with rule\$1)) and (performance with US-PGPUB 21:25	_	4			
with rule\$1)) and (performance with US-PGPUB 21:25			1	1	
1 1	-	4			
rule\$1)	1			US-PGPUB	21:25
and the state of t			rule\$1)	J	

_	0	((collect or gather) with (statistic\$2	USPAT;	2003/02/05
		with rule\$1)) and (performance with	US-PGPUB	20:49
		(search with rule\$1))	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2002/02/06
-	0	sear adj1 rule\$1	USPAT; US-PGPUB	2003/02/06 18:40
_	128	search adj1 rule\$1	US-PGPUB USPAT;	2003/02/07
'	120	Search adji idievi	US-PGPUB	12:12
_	0	(search adj1 rule\$1) and (target adj1	USPAT;	2003/02/06
		record\$1)	US-PGPUB	18:42
-	29	(search adj1 rule\$1) and ((retriev\$3 or	USPAT;	2003/02/06
		identif\$4) with record\$1)	US-PGPUB	19:10
	0	(search adjl rules) with (match\$3 with	USPAT;	2003/02/06
_	37	records!) (rules) with (match\$3 with records!)	US-PGPUB USPAT:	19:11 2003/02/06
-]	(tutes) with (matches with records:)	US-PGPUB	19:11
_	1	5204939.pn.	USPAT;	2003/02/06
			US-PGPUB	20:57
-	1	5204939.pn. and (change\$3 with sequence)	USPAT;	2003/02/06
			US-PGPUB	21:00
-	1	5204939.pn. and (evaluat\$3)	USPAT;	2003/02/06
	120		US-PGPUB	21:01
-	128	search adj1 rule\$1	USPAT; US-PGPUB	2003/02/07
_	37	(search adj1 rule\$1) and statistic\$2	USPAT;	2003/02/07
			US-PGPUB	12:14
-	9	((search adj1 rule\$1) and statistic\$2)	USPAT;	2003/02/07
		and (number with execut\$3)	US-PGPUB	12:21
-	1	5204939.pn.	USPAT;	2003/02/07
	,	6102070	US-PGPUB	12:21
_	1	6182070.pn.	USPAT; US-PGPUB	2003/02/07
_	3	6324534.pn. or 5204939.pn. or 6182070.pn.	USPAT;	2003/02/07
		oblication of observation of observation.	US-PGPUB	12:22
-	2	(6324534.pn. or 5204939.pn. or	USPAT;	2003/02/07
		6182070.pn.) and (((number or times!)	US-PGPUB	12:24
		with rule\$1) with (execut\$3 or fir\$3 or		
<u> </u>	1	run\$1 or running))	ticham.	2002/02/07
_	1	6324534.pn.	USPAT; US-PGPUB	2003/02/07
_	1	20020087518.PN.	USPAT;	2003/06/12
			US-PGPUB	11:19
-	0	98213087.ap.	USPAT;	2003/06/10
	_		US-PGPUB	16:29
_	0	98213087.apn.	USPAT;	2003/06/10
_	0	selects adj executable adj procedures	US-PGPUB	16:30 2003/06/10
		sereers and everyeapte and brocedures	USPAT; US-PGPUB	16:30
-	38	selects adj executable	USPAT;	2003/06/10
			US-PGPUB	16:30
-	0	(selects adj executable) and (generated	USPAT;	2003/06/10
	_	adj statistical)	US-PGPUB	16:33
-	1	802489.pn.	USPAT;	2003/06/10
1			US-PGPUB; EPO	16:35
_	2	200142880.pn.	USPAT;	2003/06/10
		1001.12000.p.m.	US-PGPUB;	16:37
			EPO;	
			DERWENT	
-	3	9739412.pn.	USPAT;	2003/06/10
			US-PGPUB;	16:37
			EPO; DERWENT	
-	1	20020087518.PN.	USPAT;	2003/06/12
			US-PGPUB	11:19
-	2	20020087518.PN.	USPAT;	2003/06/12
1			US-PGPUB;	11:28
		C2C0214 PW	DERWENT	0000/06/55
-	2	6360214.PN.	USPAT;	2003/06/12
			US-PGPUB; DERWENT	11:28
L	L		_ ~	1

-	1	6366901.pn.	USPAT;	2003/06/16
			US-PGPUB	19:36
-	1	6366901.pn.	USPAT;	2003/06/16
		-	US-PGPUB	19:36
_	1	6366901.pn. and (importan\$2 or	USPAT;	2003/06/16
		probabilit\$3 or rank\$4 or rate\$1 or	US-PGPUB	19:40
		rating\$1 or value\$1 or weigh\$3)		
_	5191	707/5.ccls. or 707/2.ccls. or 707/4.ccls.	USPAT;	2003/06/16
	3131	or 707/6.ccls. or 707/3.ccls.	US-PGPUB	19:41
<u>-</u>	0	(707/5.ccls. or 707/2.ccls. or	USPAT;	2003/06/16
-				19:42
		707/4.ccls. or 707/6.ccls. or	US-PGPUB	19:42
	1260	707/3.ccls.) and statististic\$2		0000/05/15
-	1369	(707/5.ccls. or 707/2.ccls. or	USPAT;	2003/06/16
		707/4.ccls. or 707/6.ccls. or	US-PGPUB	19:42
		707/3.ccls.) and statistic\$2		
-	57	(707/5.ccls. or 707/2.ccls. or	USPAT;	2003/06/16
		707/4.ccls. or 707/6.ccls. or	US-PGPUB	19:42
		707/3.ccls.) and (statistic\$2 with		
		rule\$1)		
-	5	(707/5.ccls. or 707/2.ccls. or	USPAT;	2003/06/16
		707/4.ccls. or 707/6.ccls. or	US-PGPUB	19:43
		707/3.ccls.) and ((statistic\$2 with		
		rule\$1) with search\$3)		
_	0	((707/5.ccls. or 707/2.ccls. or	USPAT;	2003/06/16
	1	707/4.ccls. or 707/6.ccls. or	US-PGPUB	19:43
		707/4.ccls. or 707/6.ccls. or 707/3.ccls.) and ((statistic\$2 with	US-FGFUB	12.42
		rule\$1) with search\$3)) and (performance		
		with statistic\$2)		
-	4	, , , , , , , , , , , , , , , , , , ,	USPAT;	2003/06/16
		707/4.ccls. or 707/6.ccls. or	US-PGPUB	19:53
		707/3.ccls.) and ((statistic\$2 with		
		rule\$1) with search\$3)) and performance		
_	0	statistic\$2 with (search adj rule\$1)	USPAT;	2003/06/16
	-		US-PGPUB	19:53
1_	3	performance with (search adj rule\$1)	USPAT;	2003/06/16
		periormance with (Search ad) ruley)	US-PGPUB	19:54
	20			
-	29	performance with (execution adj plan\$1)	USPAT;	2003/06/16
			US-PGPUB	19:55
-	1	((performance with (execution adj	USPAT;	2003/06/16
		plan\$1)) and statistic\$2) and rank\$3	US-PGPUB	19:55
-	17	(performance with (execution adj plan\$1))	USPAT;	2003/06/16
		and statistic\$2	US-PGPUB	20:21
-	1	rank\$3 with (search adj rule\$1)	USPAT;	2003/06/16
			US-PGPUB	20:21
-	0	statistic\$2 with (previous\$2 adj2	USPAT;	2003/06/23
		retrieved)	US-PGPUB	15:42
-	1982	genetic adj (algorithm\$1 or program\$4)	USPAT;	2003/06/23
]	US-PGPUB	15:43
_	1340	(genetic adj (algorithm\$1 or program\$4))	USPAT;	2003/06/23
	10.10	and search\$3	US-PGPUB	15:44
_	777	((genetic adj (algorithm\$1 or program\$4))	USPAT;	2003/06/23
1	'''	and search\$3) and rule\$1	US-PGPUB	15:44
1_	5	and search(3) and rule(1) (((genetic adj (algorithm(1) or		
	3		USPAT;	2003/06/23
	1	program\$4)) and search\$3) and rule\$1) and	US-PGPUB	15:45
	1000-	((adjust\$3 or updat\$3) near4 rank\$3)		1 2222 /2 2/2 2
~	10027	test with effectiveness	USPAT;	2003/10/21
1			US-PGPUB;	00:59
			EPO	
-	4	(test with effectiveness) and retrieval	USPAT;	2003/10/21
		adj method	US-PGPUB;	01:00
			EPO	
-	4	(test with effectiveness) and (retrieval	USPAT;	2003/10/21
	1	adj method)	US-PGPUB;	01:05
	1		EPO EPO	
_	0	evaluating adj information adj retrieving	USPAT;	2003/10/21
		cvaraacing adj informacion adj recrieving		
l _	,	ovaluating add information and natural	US-PGPUB	01:08
-	1	evaluating adj information adj retrieving	USPAT;	2003/10/21
	ļ ·		US-PGPUB;	01:08
1	1		EPO; JPO	0000/11/5-
-	183	search adj rule\$1	USPAT;	2003/11/17
	<u> </u>		US-PGPUB	22:57

				1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
-	99391	(search adj rule\$1) statistic\$2	USPAT;	2003/11/17
			US-PGPUB	22:54
-	60	(search adj rule\$1) and statistic\$2	USPAT;	2003/11/17
			US-PGPUB	22:55
-	2	((search adj rule\$1) and statistic\$2) and	USPAT;	2003/11/17
		(rule with number with executed)	US-PGPUB	22:55
-	114	"search rules"	USPAT;	2003/11/17
			US-PGPUB	22:58
-	69	"search rules" and (times)	USPAT;	2003/11/17
			US-PGPUB	22:59
_	3	("search rules" and (efficiency with	USPAT;	2003/11/17
		search\$3)) and (times)	US-PGPUB	23:03
_	1	4752890.pn.	USPAT;	2003/11/17
	_	F	US-PGPUB	23:03
_	1	4752890.pn. and instance\$1	USPAT;	2003/11/17
			US-PGPUB	23:04
_	4	"search rules" and (efficiency with	USPAT;	2003/11/17
	_	search\$3)	US-PGPUB	23:06
_	2468	efficiency with search\$3	USPAT;	2003/11/17
	2100	criticions, with bouremys	US-PGPUB	23:07
<u>-</u>	396	(efficiency with search\$3) and (search	USPAT;	2003/11/17
	350	adj (rule\$1 or technique\$1 or strateg\$3	US-PGPUB	23:08
		or quer\$3))	OS FGFOD	25.00
	3	((efficiency with search\$3) and (search	USPAT;	2003/11/17
	,	adj (rule\$1 or technique\$1 or strateg\$3	US-PGPUB	23:16
		or quer\$3))) and (((time\$1 or instance\$1)	US-PGPUB	23.16
		adj (rule\$1 or quer\$1)) with (execut\$3 or		
		fired or firing or fire))		
	222	(((time\$1 or instance\$1) adj (rule\$1 or	HGDAM.	2002/11/17
-	222		USPAT;	2003/11/17
		quer\$1)) with (execut\$3 or fired or	US-PGPUB	23:16
	7.0	firing or fire))		2002/11/17
_	79		USPAT;	2003/11/17
		quer\$1)) with (execut\$3 or fired or	US-PGPUB	23:17
	_	firing or fire))) and statistic\$2		0000/11/17
-	3	, , , , : = ::: - - - - - - -	USPAT;	2003/11/17
		quer\$1)) with (execut\$3 or fired or	US-PGPUB	23:17
		firing or fire))) and ((efficiency with		
		search\$3) and (search adj (rule\$1 or		
		technique\$1 or strateg\$3 or quer\$3)))		
-	1	(((((================================	USPAT;	2003/11/17
		quer\$1)) with (execut\$3 or fired or	US-PGPUB	23:18
		firing or fire))) and statistic\$2) and		1
		(statistic\$2 with "search rules")		
-	1	4752890.pn. and (search\$3 and time)	USPAT;	2003/11/18
			US-PGPUB	01:39